

Certificate of Analysis

Powered by Confident Cannabis

Bioactive Solutions Inc (BSI)

NV 89502 lyle@bioactivesolutionsinc.com (775) 685-6889 Lic. #

Sample: 2106TSF0059.7014

Strain: Trokie Rapid Relief Tabs 500mg package

Sample Received: 06/07/2021; Report Generated: 06/10/2021

Trokie 10mg CBD + 1.5mg Melatonin per serving, 50 per package

Ingestible, Orally-Dissolving Product

Harvest Process Lot: ; METRC Batch: ; METRC Sample:





The photo on this report is of a sample collected by the lab and may vary from the final packaging

Safety

PassPesticides

PassMicrobials

Pass

Mycotoxins

Pass

Solvents

Pass

Heavy Metals

Pass

Foreign Matter

Cannabinoids

<loq< th=""><th></th></loq<>	

Total Potential THC

10.43 mg/unit

Total Potential CBD

NR %

Moisture

Analyte	LOQ	Result	Result	
	mg/unit	mg/unit	mg/g	
THCa	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
Δ9-ΤΗС	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
Δ8-ΤΗС	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBD	0.01	10.43	86.90	
CBDa	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBC	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBG	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBN	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
THCV	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CBGa	0.01	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
Total			86.90	

1 Unit = 1 square, 50 per bottle, 0.12g

Terpenes



Analyte	LOQ	Result	Result
	%	%	mg/g
α-Bisabolol	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Humulene	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Pinene	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
β-Caryophyllene	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
β-Myrcene	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
β-Pinene	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Caryophyllene Oxide	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
δ-Limonene	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Linalool	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Ocimene	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Terpinolene	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
trans-Nerolidol	0.05	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total		0.00	0

10 Greg St Sparks, NV (844) 374-5227 www.374labs.com





Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Potency performed per SOP-000001. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.

Scientific Director



Certificate of Analysis

Powered by Confident Cannabis

Bioactive Solutions Inc (BSI)

NV 89502 lyle@bioactivesolutionsinc.com (775) 685-6889 Lic. # Sample: 2106TSF0059.7014

Strain: Trokie Rapid Relief Tabs 500mg package

Sample Received: 06/07/2021; Report Generated: 06/10/2021

Trokie 10mg CBD + 1.5mg Melatonin per serving, 50 per package

Ingestible, Orally-Dissolving Product

Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Pesticides				Pass
Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Abamectin	<loq< td=""><td>0.150</td><td>0.200</td><td>Pass</td></loq<>	0.150	0.200	Pass
Acequinocyl	<loq< td=""><td>0.310</td><td>4.000</td><td>Pass</td></loq<>	0.310	4.000	Pass
Beta-Cyfluthrin	<loq< td=""><td>0.600</td><td>2.000</td><td>Pass</td></loq<>	0.600	2.000	Pass
Bifenazate	<loq< td=""><td>0.080</td><td>0.400</td><td>Pass</td></loq<>	0.080	0.400	Pass
Bifenthrin	<loq< td=""><td>0.080</td><td>0.100</td><td>Pass</td></loq<>	0.080	0.100	Pass
Cyfluthrin	<loq< td=""><td>0.600</td><td>2.000</td><td>Pass</td></loq<>	0.600	2.000	Pass
Cypermethrin	<loq< td=""><td>0.200</td><td>1.000</td><td>Pass</td></loq<>	0.200	1.000	Pass
Daminozide	<loq< td=""><td>0.080</td><td>0.800</td><td>Pass</td></loq<>	0.080	0.800	Pass
Dimethomorph	<loq< td=""><td>0.080</td><td>2.000</td><td>Pass</td></loq<>	0.080	2.000	Pass
Etoxazole	<loq< td=""><td>0.080</td><td>0.400</td><td>Pass</td></loq<>	0.080	0.400	Pass
Fenhexamid	<loq< td=""><td>0.080</td><td>1.000</td><td>Pass</td></loq<>	0.080	1.000	Pass
Flonicamid	<loq< td=""><td>0.080</td><td>1.000</td><td>Pass</td></loq<>	0.080	1.000	Pass
Fludioxonil	<loq< td=""><td>0.080</td><td>0.500</td><td>Pass</td></loq<>	0.080	0.500	Pass
Imidacloprid	<loq< td=""><td>0.080</td><td>0.500</td><td>Pass</td></loq<>	0.080	0.500	Pass
Myclobutanil	<loq< td=""><td>0.080</td><td>0.400</td><td>Pass</td></loq<>	0.080	0.400	Pass
Paclobutrazol	<loq< td=""><td>0.080</td><td>0.400</td><td>Pass</td></loq<>	0.080	0.400	Pass
Piperonyl Butoxide	<loq< td=""><td>0.080</td><td>3.000</td><td>Pass</td></loq<>	0.080	3.000	Pass
Plant Growth Regulators	<loq< td=""><td></td><td></td><td>Tested</td></loq<>			Tested
Pyrethrins	<loq< td=""><td>0.310</td><td>2.000</td><td>Pass</td></loq<>	0.310	2.000	Pass
Quintozene	<loq< td=""><td>0.080</td><td>0.800</td><td>Pass</td></loq<>	0.080	0.800	Pass
Spinetoram	<loq< td=""><td>0.080</td><td>1.000</td><td>Pass</td></loq<>	0.080	1.000	Pass
Spinosad	<loq< td=""><td>0.080</td><td>1.000</td><td>Pass</td></loq<>	0.080	1.000	Pass
Spirotetramat	<loq< td=""><td>0.080</td><td>1.000</td><td>Pass</td></loq<>	0.080	1.000	Pass
Thiamethoxam	<loq< td=""><td>0.080</td><td>0.400</td><td>Pass</td></loq<>	0.080	0.400	Pass
Trifloxystrobin	<loq< th=""><th>0.080</th><th>1.000</th><th>Pass</th></loq<>	0.080	1.000	Pass

			Pass
Result	LOQ	Limit	Status
PPM	PPM	PPM	
<loq< td=""><td>0.260</td><td>2.000</td><td>Pass</td></loq<>	0.260	2.000	Pass
<loq< td=""><td>0.260</td><td>0.820</td><td>Pass</td></loq<>	0.260	0.820	Pass
<loq< td=""><td>0.260</td><td>1.200</td><td>Pass</td></loq<>	0.260	1.200	Pass
<loq< td=""><td>0.120</td><td>0.400</td><td>Pass</td></loq<>	0.120	0.400	Pass
	PPM <loq <loq <loq< td=""><td>PPM PPM <loq 0.260<br=""><loq 0.260<br=""><loq 0.260<="" td=""><td>PPM PPM PPM <loq< td=""> 0.260 2.000 <loq< td=""> 0.260 0.820 <loq< td=""> 0.260 1.200</loq<></loq<></loq<></td></loq></loq></loq></td></loq<></loq </loq 	PPM PPM <loq 0.260<br=""><loq 0.260<br=""><loq 0.260<="" td=""><td>PPM PPM PPM <loq< td=""> 0.260 2.000 <loq< td=""> 0.260 0.820 <loq< td=""> 0.260 1.200</loq<></loq<></loq<></td></loq></loq></loq>	PPM PPM PPM <loq< td=""> 0.260 2.000 <loq< td=""> 0.260 0.820 <loq< td=""> 0.260 1.200</loq<></loq<></loq<>

Microbials				Pass
Analyte	Limit	LOQ	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Aerobic	100000	40	<loq< th=""><th>Pass</th></loq<>	Pass
Total Enterobacteriaceae	1000	40	<loq< th=""><th>Pass</th></loq<>	Pass
Total Coliforms	1000	40	<loq< th=""><th>Pass</th></loq<>	Pass
Pathogenic E. Coli	1		<loq< th=""><th>Pass</th></loq<>	Pass
Salmonella	1		<loq< th=""><th>Pass</th></loq<>	Pass
Total Yeast & Mold	10000	40	<loq< th=""><th>Pass</th></loq<>	Pass

Residual Solvents				Pass
Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Butanes	<loq< th=""><th>50</th><th>500</th><th>Pass</th></loq<>	50	500	Pass
Ethanol	<loq< th=""><th>50</th><th></th><th>Tested</th></loq<>	50		Tested
Heptanes	<loq< th=""><th>50</th><th>500</th><th>Pass</th></loq<>	50	500	Pass
Isobutane	<loq< th=""><th>50</th><th>500</th><th>Pass</th></loq<>	50	500	Pass
Pentane	<loq< th=""><th>50</th><th></th><th>Tested</th></loq<>	50		Tested
Propane	<loq< th=""><th>50</th><th>500</th><th>Pass</th></loq<>	50	500	Pass

Mycotoxins				Pass
Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Aflatoxins	<loq< td=""><td>0.005</td><td>0.020</td><td>Pass</td></loq<>	0.005	0.020	Pass
B1	<loq< td=""><td>0.005</td><td></td><td>Tested</td></loq<>	0.005		Tested
B2	<loq< td=""><td>0.005</td><td></td><td>Tested</td></loq<>	0.005		Tested
G1	<loq< th=""><th>0.005</th><th></th><th>Tested</th></loq<>	0.005		Tested
G2	<loq< th=""><th>0.005</th><th></th><th>Tested</th></loq<>	0.005		Tested
Ochratoxin A	<loq< th=""><th>0.015</th><th>0.020</th><th>Pass</th></loq<>	0.015	0.020	Pass
Total Mycotoxins	<loq< th=""><th></th><th>0.020</th><th>Pass</th></loq<>		0.020	Pass

10 Greg St Sparks, NV (844) 374-5227 www.374labs.com





Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Potency performed per SOP-000001. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.

Scientific Director