



# Certificate of Analysis

Powered by Confident Cannabis  
1 of 2

## Bioactive Solutions Inc (BSI)

1005 Terminal Way, Suite 140  
Reno, NV 89502  
drkent@trokie.com  
(626) 646-3227  
Lic. #

Sample: 2112TSF0063.16340

Strain: Hemp  
Lot #: 2021120550 CBDRRT;  
Sample Received: 12/13/2021; Report Generated: 12/14/2021  
Harvest/Production Date: 12/05/2021

## Trokie 10 bars, 500mg CBD Rapid Relief Tab

Ingestible, Hard Lozenge, CO2  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



The photo on this report is of a sample collected by the lab and may vary from the final packaging

### Safety

<b>Pass</b> Pesticides	<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins
<b>Pass</b> Solvents	<b>Pass</b> Heavy Metals	<b>Pass</b> Foreign Matter

### Cannabinoids

<b>&lt;LOQ</b> Total Potential THC	<b>9.99 mg/unit</b> Total Potential CBD	<b>NR %</b> Moisture
---------------------------------------	--	-------------------------

Analyte	LOQ mg/unit	Result mg/unit	Result mg/g
THCa	0.01	<LOQ	<LOQ
Δ9-THC	0.01	<LOQ	<LOQ
Δ8-THC	0.01	<LOQ	<LOQ
CBD	0.01	9.99	83.24
CBDa	0.01	<LOQ	<LOQ
CBC	0.01	0.05	0.39
CBG	0.01	<LOQ	<LOQ
CBN	0.01	0.03	0.25
THCV	0.01	<LOQ	<LOQ
CBGa	0.01	<LOQ	<LOQ
<b>Total</b>			<b>83.88</b>

1 Unit = 1 serving, 5 per bar, 50 per package, 0.12g

### Terpenes

Analyte	LOQ %	Result %	Result mg/g
α-Bisabolol	0.05	<LOQ	<LOQ
α-Humulene	0.05	<LOQ	<LOQ
α-Pinene	0.05	<LOQ	<LOQ
β-Caryophyllene	0.05	<LOQ	<LOQ
β-Myrcene	0.05	<LOQ	<LOQ
β-Pinene	0.05	<LOQ	<LOQ
Caryophyllene Oxide	0.05	<LOQ	<LOQ
δ-Limonene	0.05	<LOQ	<LOQ
Linalool	0.05	<LOQ	<LOQ
Ocimene	0.05	<LOQ	<LOQ
Terpinolene	0.05	<LOQ	<LOQ
trans-Nerolidol	0.05	<LOQ	<LOQ
<b>Total</b>		<b>0.00</b>	<b>0</b>

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com



Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.



# Certificate of Analysis

Powered by Confident Cannabis  
2 of 2

## Bioactive Solutions Inc (BSI)

1005 Terminal Way, Suite 140  
Reno, NV 89502  
drkent@trokie.com  
(626) 646-3227  
Lic. #

## Sample: 2112TSF0063.16340

Strain: Hemp  
Lot #: 2021120550 CBDRRT;  
Sample Received: 12/13/2021; Report Generated: 12/14/2021  
Harvest/Production Date: 12/05/2021

## Trokie 10 bars, 500mg CBD Rapid Relief Tab

Ingestible, Hard Lozenge, CO2  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



### Pesticides

Pass

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Abamectin	<LOQ	0.150	0.150	Pass
Acequinocyl	<LOQ	0.310	4.000	Pass
Beta-Cyfluthrin	<LOQ	0.600	2.000	Pass
Bifenazate	<LOQ	0.080	0.400	Pass
Bifenthrin	<LOQ	0.080	0.080	Pass
Cyfluthrin	<LOQ	0.600	2.000	Pass
Cypermethrin	<LOQ	0.310	0.310	Pass
Daminozide	<LOQ	0.080	0.080	Pass
Dimethomorph	<LOQ	0.080	2.000	Pass
Etoxazole	<LOQ	0.080	0.400	Pass
Fenhexamid	<LOQ	0.080	1.000	Pass
Flonicamid	<LOQ	0.080	1.000	Pass
Fludioxonil	<LOQ	0.080	0.500	Pass
Imidacloprid	<LOQ	0.080	0.500	Pass
Myclobutanil	<LOQ	0.080	0.400	Pass
Paclobutrazol	<LOQ	0.080	0.080	Pass
Piperonyl Butoxide	<LOQ	0.080	3.000	Pass
Plant Growth Regulators	<LOQ			Tested
Pyrethrins	<LOQ	0.310	2.000	Pass
Quintozene	<LOQ	0.200	0.800	Pass
Spinetoram	<LOQ	0.080	1.000	Pass
Spinosad	<LOQ	0.080	1.000	Pass
Spirotetramat	<LOQ	0.080	1.000	Pass
Thiamethoxam	<LOQ	0.080	0.400	Pass
Trifloxystrobin	<LOQ	0.080	1.000	Pass

### Microbials

Pass

Analyte	Limit	LOQ	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Aerobic	100000	40	<LOQ	Pass
Total Enterobacteriaceae	1000	40	<LOQ	Pass
Total Coliforms	1000	40	<LOQ	Pass
Pathogenic E. Coli	1		<LOQ	Pass
Salmonella	1		<LOQ	Pass
Total Yeast & Mold	10000	40	<LOQ	Pass

### Residual Solvents

Pass

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Butanes	<LOQ	50	500	Pass
Ethanol	<LOQ	50		Tested
Heptanes	<LOQ	50	500	Pass
Isobutane	<LOQ	50	500	Pass
Pentane	<LOQ	50		Tested
Propane	<LOQ	50	500	Pass

### Mycotoxins

Pass

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Aflatoxins	<LOQ	0.005	0.020	Pass
B1	<LOQ	0.005		Tested
B2	<LOQ	0.005		Tested
G1	<LOQ	0.005		Tested
G2	<LOQ	0.005		Tested
Ochratoxin A	<LOQ	0.015	0.020	Pass
Total Mycotoxins	<LOQ		0.020	Pass

### Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Arsenic	<LOQ	0.260	2.000	Pass
Cadmium	<LOQ	0.260	0.820	Pass
Lead	<LOQ	0.260	1.200	Pass
Mercury	<LOQ	0.120	0.400	Pass

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com



Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.