



Certificate of Analysis

Powered by Confident Cannabis
1 of 2

Bioactive Solutions Inc (BSI)

1005 Terminal Way, Suite 140
Reno, NV 89502
drkent@trokie.com
(626) 646-3227
Lic. #

Sample: 2112TSF0063.16341

Strain: Hemp
Lot #: 20211205CBDMRRT;
Sample Received: 12/13/2021; Report Generated: 12/14/2021

CBD+Melatonin 10 bars, 500 mg CBD/75 mg Melatonin Trokie Rapid Relief T

Ingestible, Hard Lozenge, CO2
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



The photo on this report is of a sample collected by the lab and may vary from the final packaging

Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins
Pass Solvents	Pass Heavy Metals	Pass Foreign Matter

Cannabinoids

<LOQ Total Potential THC	9.80 mg/unit Total Potential CBD	NR % Moisture
---------------------------------------	--	-------------------------

Analyte	LOQ mg/unit	Result mg/unit	Result mg/g
THCa	0.01	<LOQ	<LOQ
Δ9-THC	0.01	<LOQ	<LOQ
Δ8-THC	0.01	<LOQ	<LOQ
CBD	0.01	9.80	81.66
CBDa	0.01	<LOQ	<LOQ
CBC	0.01	0.05	0.39
CBG	0.01	<LOQ	<LOQ
CBN	0.01	0.03	0.25
THCV	0.01	<LOQ	<LOQ
CBGa	0.01	<LOQ	<LOQ
Total			82.30

1 Unit = 1 serving, 5 per bar, 50 per package, 0.12g

Terpenes

Analyte	LOQ %	Result %	Result mg/g
α-Bisabolol	0.05	<LOQ	<LOQ
α-Humulene	0.05	<LOQ	<LOQ
α-Pinene	0.05	<LOQ	<LOQ
β-Caryophyllene	0.05	<LOQ	<LOQ
β-Myrcene	0.05	<LOQ	<LOQ
β-Pinene	0.05	<LOQ	<LOQ
Caryophyllene Oxide	0.05	<LOQ	<LOQ
δ-Limonene	0.05	<LOQ	<LOQ
Linalool	0.05	<LOQ	<LOQ
Ocimene	0.05	<LOQ	<LOQ
Terpinolene	0.05	<LOQ	<LOQ
trans-Nerolidol	0.05	<LOQ	<LOQ
Total		0.00	0

10 Greg St
Sparks, NV
(844) 374-5227
www.374labs.com



Dr. Jeff Angermann
Scientific Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.



Certificate of Analysis

Powered by Confident Cannabis
2 of 2

Bioactive Solutions Inc (BSI)

1005 Terminal Way, Suite 140
Reno, NV 89502
drkent@trokie.com
(626) 646-3227
Lic. #

Sample: 2112TSF0063.16341

Strain: Hemp
Lot #: 20211205CBDMRRT;
Sample Received: 12/13/2021; Report Generated: 12/14/2021

CBD+Melatonin 10 bars, 500 mg CBD/75 mg Melatonin Trokie Rapid Relief T

Ingestible, Hard Lozenge, CO2
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Pesticides

Pass

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Abamectin	<LOQ	0.150	0.150	Pass
Acequinocyl	<LOQ	0.310	4.000	Pass
Beta-Cyfluthrin	<LOQ	0.600	2.000	Pass
Bifenazate	<LOQ	0.080	0.400	Pass
Bifenthrin	<LOQ	0.080	0.080	Pass
Cyfluthrin	<LOQ	0.600	2.000	Pass
Cypermethrin	<LOQ	0.310	0.310	Pass
Daminozide	<LOQ	0.080	0.080	Pass
Dimethomorph	<LOQ	0.080	2.000	Pass
Etoxazole	<LOQ	0.080	0.400	Pass
Fenhexamid	<LOQ	0.080	1.000	Pass
Flonicamid	<LOQ	0.080	1.000	Pass
Fludioxonil	<LOQ	0.080	0.500	Pass
Imidacloprid	<LOQ	0.080	0.500	Pass
Myclobutanil	<LOQ	0.080	0.400	Pass
Paclotrazol	<LOQ	0.080	0.080	Pass
Piperonyl Butoxide	<LOQ	0.080	3.000	Pass
Plant Growth Regulators	<LOQ			Tested
Pyrethrins	<LOQ	0.310	2.000	Pass
Quintozene	<LOQ	0.200	0.800	Pass
Spinetoram	<LOQ	0.080	1.000	Pass
Spinosad	<LOQ	0.080	1.000	Pass
Spirotetramat	<LOQ	0.080	1.000	Pass
Thiamethoxam	<LOQ	0.080	0.400	Pass
Trifloxystrobin	<LOQ	0.080	1.000	Pass

Microbials

Pass

Analyte	Limit	LOQ	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Aerobic	100000	40	<LOQ	Pass
Total Enterobacteriaceae	1000	40	<LOQ	Pass
Total Coliforms	1000	40	<LOQ	Pass
Pathogenic E. Coli	1		<LOQ	Pass
Salmonella	1		<LOQ	Pass
Total Yeast & Mold	10000	40	<LOQ	Pass

Residual Solvents

Pass

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Butanes	<LOQ	50	500	Pass
Ethanol	<LOQ	50		Tested
Heptanes	<LOQ	50	500	Pass
Isobutane	<LOQ	50	500	Pass
Pentane	<LOQ	50		Tested
Propane	<LOQ	50	500	Pass

Mycotoxins

Pass

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Aflatoxins	<LOQ	0.005	0.020	Pass
B1	<LOQ	0.005		Tested
B2	<LOQ	0.005		Tested
G1	<LOQ	0.005		Tested
G2	<LOQ	0.005		Tested
Ochratoxin A	<LOQ	0.015	0.020	Pass
Total Mycotoxins	<LOQ		0.020	Pass

Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Arsenic	<LOQ	0.260	2.000	Pass
Cadmium	<LOQ	0.260	0.820	Pass
Lead	<LOQ	0.260	1.200	Pass
Mercury	<LOQ	0.120	0.400	Pass

10 Greg St
Sparks, NV
(844) 374-5227
www.374labs.com



Dr. Jeff Angermann
Scientific Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.