



# Certificate of Analysis

Powered by Confident Cannabis  
1 of 4

## Farm to Farma Inc.

1005 Terminal Way, Suite 140  
Reno, NV 89502  
drkent@trokie.com  
(626) 646-3227  
Lic. #

## Sample: 2211TSF0283.20718

Strain: Broad spectrum Hemp Distillate  
Batch #: 20221119BS20UD;  
Sample Received: 11/29/2022; Report Generated: 12/06/2022

## UD Trokie 20mg CBD Broad Spectrum

Ingestible, Orally-Dissolving Product, CO2  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



The photo on this report is of a sample collected by the lab and may vary from the final packaging

### Safety

|                           |                             |                               |
|---------------------------|-----------------------------|-------------------------------|
| <b>Pass</b><br>Pesticides | <b>Pass</b><br>Microbials   | <b>Pass</b><br>Mycotoxins     |
| <b>Pass</b><br>Solvents   | <b>Pass</b><br>Heavy Metals | <b>Pass</b><br>Foreign Matter |

### Cannabinoids

|                                       |   |                                    |
|---------------------------------------|---|------------------------------------|
| <b>&lt;LOQ</b><br>Total Potential THC | <b>22.13 mg/unit</b><br>Total Potential CBD | <b>&lt;LOQ test</b><br>Homogeneity |
|---------------------------------------|---|------------------------------------|

| Analyte      | LOQ<br>mg/unit | Result<br>mg/unit | Result<br>mg/g |
|--------------|----------------|-------------------|----------------|
| THCa         | 0.02           | <LOQ              | <LOQ           |
| Δ9-THC       | 0.02           | <LOQ              | <LOQ           |
| Δ8-THC       | 0.02           | <LOQ              | <LOQ           |
| CBD          | 0.02           | 22.13             | 100.60         |
| CBDa         | 0.02           | <LOQ              | <LOQ           |
| CBC          | 0.02           | 0.20              | 0.91           |
| CBG          | 0.02           | <LOQ              | <LOQ           |
| CBN          | 0.02           | <LOQ              | <LOQ           |
| THCV         | 0.02           | <LOQ              | <LOQ           |
| CBGa         | 0.02           | <LOQ              | <LOQ           |
| <b>Total</b> |                |                   | <b>101.51</b>  |

1 Unit = 1 unit dose, 0.22g

### Terpenes

| Analyte             | LOQ<br>% | Result<br>% | Result<br>mg/g |
|---------------------|----------|-------------|----------------|
| α-Bisabolol         | 0.05     | <LOQ        | <LOQ           |
| α-Humulene          | 0.05     | <LOQ        | <LOQ           |
| α-Pinene            | 0.05     | <LOQ        | <LOQ           |
| β-Caryophyllene     | 0.05     | <LOQ        | <LOQ           |
| β-Myrcene           | 0.05     | <LOQ        | <LOQ           |
| β-Pinene            | 0.05     | <LOQ        | <LOQ           |
| Caryophyllene Oxide | 0.05     | <LOQ        | <LOQ           |
| δ-Limonene          | 0.05     | <LOQ        | <LOQ           |
| Linalool            | 0.05     | <LOQ        | <LOQ           |
| Ocimene             | 0.05     | <LOQ        | <LOQ           |
| Terpinolene         | 0.05     | <LOQ        | <LOQ           |
| trans-Nerolidol     | 0.05     | <LOQ        | <LOQ           |
| <b>Total</b>        |          | <b>0.00</b> | <b>0</b>       |

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com



Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.



# Certificate of Analysis

Powered by Confident Cannabis  
2 of 4

## Farm to Farma Inc.

1005 Terminal Way, Suite 140  
Reno, NV 89502  
drkent@trokie.com  
(626) 646-3227  
Lic. #

## Sample: 2211TSF0283.20718

Strain: Broad spectrum Hemp Distillate  
Batch #: 20221119BS20UD;  
Sample Received: 11/29/2022; Report Generated: 12/06/2022

## UD Trokie 20mg CBD Broad Spectrum

Ingestible, Orally-Dissolving Product, CO2  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



### Pesticides

Pass

| Analyte                 | Result | LOQ   | Limit | Status |
|-------------------------|--------|-------|-------|--------|
|                         | PPM    | PPM   | PPM   |        |
| Abamectin               | <LOQ   | 0.150 | 0.150 | Pass   |
| Acequinocyl             | <LOQ   | 0.310 | 4.000 | Pass   |
| Beta-Cyfluthrin         | <LOQ   | 0.600 | 2.000 | Pass   |
| Bifenazate              | <LOQ   | 0.080 | 0.400 | Pass   |
| Bifenthrin              | <LOQ   | 0.080 | 0.080 | Pass   |
| Cyfluthrin              | <LOQ   | 0.600 | 2.000 | Pass   |
| Cypermethrin            | <LOQ   | 0.310 | 0.310 | Pass   |
| Daminozide              | <LOQ   | 0.150 | 0.080 | Pass   |
| Dimethomorph            | <LOQ   | 0.080 | 2.000 | Pass   |
| Etoxazole               | <LOQ   | 0.080 | 0.400 | Pass   |
| Fenhexamid              | <LOQ   | 0.080 | 1.000 | Pass   |
| Flonicamid              | <LOQ   | 0.080 | 1.000 | Pass   |
| Fludioxonil             | <LOQ   | 0.080 | 0.500 | Pass   |
| Imidacloprid            | <LOQ   | 0.080 | 0.500 | Pass   |
| Myclobutanil            | <LOQ   | 0.080 | 0.400 | Pass   |
| Pacllobutrazol          | <LOQ   | 0.080 | 0.080 | Pass   |
| Piperonyl Butoxide      | <LOQ   | 0.080 | 3.000 | Pass   |
| Plant Growth Regulators | <LOQ   |       |       | Tested |
| Pyrethrins              | <LOQ   | 0.310 | 2.000 | Pass   |
| Quintozene              | <LOQ   | 0.200 | 0.800 | Pass   |
| Spinetoram              | <LOQ   | 0.080 | 1.000 | Pass   |
| Spinosad                | <LOQ   | 0.080 | 1.000 | Pass   |
| Spirotetramat           | <LOQ   | 0.080 | 1.000 | Pass   |
| Thiamethoxam            | <LOQ   | 0.080 | 0.400 | Pass   |
| Trifloxystrobin         | <LOQ   | 0.080 | 1.000 | Pass   |

### Microbials

Pass

| Analyte                  | Limit  | LOQ   | Result | Status |
|--------------------------|--------|-------|--------|--------|
|                          | CFU/g  | CFU/g | CFU/g  |        |
| Total Aerobic            | 100000 | 40    | <LOQ   | Pass   |
| Total Enterobacteriaceae | 1000   | 40    | <LOQ   | Pass   |
| Total Coliforms          | 1000   | 40    | <LOQ   | Pass   |
| Pathogenic E. Coli       | 1      |       | <LOQ   | Pass   |
| Salmonella               | 1      |       | <LOQ   | Pass   |
| Total Yeast & Mold       | 10000  | 40    | <LOQ   | Pass   |

### Residual Solvents

Pass

| Analyte   | Result | LOQ | Limit | Status |
|-----------|--------|-----|-------|--------|
|           | PPM    | PPM | PPM   |        |
| Butanes   | <LOQ   | 50  | 500   | Pass   |
| Ethanol   | <LOQ   | 50  |       | Tested |
| Heptanes  | <LOQ   | 50  | 500   | Pass   |
| Hexanes   | NR     | 50  |       | NT     |
| Isobutane | <LOQ   | 50  | 500   | Pass   |
| Methanol  | NR     | 50  |       | NT     |
| Pentane   | <LOQ   | 50  |       | Tested |
| Propane   | <LOQ   | 50  | 500   | Pass   |

### Heavy Metals

Pass


| Analyte | Result | LOQ   | Limit | Status |
|---------|--------|-------|-------|--------|
|         | PPM    | PPM   | PPM   |        |
| Arsenic | <LOQ   | 0.260 | 2.000 | Pass   |
| Cadmium | <LOQ   | 0.260 | 0.820 | Pass   |
| Lead    | <LOQ   | 0.260 | 1.200 | Pass   |
| Mercury | <LOQ   | 0.120 | 0.400 | Pass   |

### Mycotoxins

Pass

| Analyte          | Result | LOQ   | Limit | Status |
|------------------|--------|-------|-------|--------|
|                  | PPM    | PPM   | PPM   |        |
| Aflatoxins       | <LOQ   | 0.005 | 0.020 | Pass   |
| B1               | <LOQ   | 0.005 |       | Tested |
| B2               | <LOQ   | 0.005 |       | Tested |
| G1               | <LOQ   | 0.005 |       | Tested |
| G2               | <LOQ   | 0.005 |       | Tested |
| Ochratoxin A     | <LOQ   | 0.015 | 0.020 | Pass   |
| Total Mycotoxins | <LOQ   |       | 0.020 | Pass   |

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com




Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.



# Certificate of Analysis

Powered by Confident Cannabis  
3 of 4

## Farm to Farma Inc.

1005 Terminal Way, Suite 140  
Reno, NV 89502  
drkent@trokie.com  
(626) 646-3227  
Lic. #

## Sample: 2211TSF0283.20718

Strain: Broad spectrum Hemp Distillate  
Batch #: 20221119BS20UD;  
Sample Received: 11/29/2022; Report Generated: 12/06/2022

## UD Trokie 20mg CBD Broad Spectrum

Ingestible, Orally-Dissolving Product, CO2  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



**<LOQ**  
Total Potential THC

**22.13 mg/unit**  
Total Potential CBD

The photo on this report is of a sample collected by the lab and may vary from the final packaging

## Cannabinoids

| Analyte         | LOQ     | Result       | Result        |
|-----------------|---------|--------------|---------------|
|                 | mg/unit | mg/unit      | mg/g          |
| THCa            | 0.02    | <LOQ         | <LOQ          |
| $\Delta^9$ -THC | 0.02    | <LOQ         | <LOQ          |
| $\Delta^8$ -THC | 0.02    | <LOQ         | <LOQ          |
| CBD             | 0.02    | 22.13        | 100.60        |
| CBDa            | 0.02    | <LOQ         | <LOQ          |
| CBC             | 0.02    | 0.20         | 0.91          |
| CBG             | 0.02    | <LOQ         | <LOQ          |
| CBN             | 0.02    | <LOQ         | <LOQ          |
| THCV            | 0.02    | <LOQ         | <LOQ          |
| CBGa            | 0.02    | <LOQ         | <LOQ          |
| <b>Total</b>    |         | <b>22.33</b> | <b>101.51</b> |

1 Unit = 1 unit dose, 0.22g

Potency performed per SOP-000001(HPLC-UV) Total Potential THC and CBD: Liquid chromatography occurs at room temperature and does not decarboxylate any cannabinoids, thereby yielding separate values for THCa, THC, CBDa and CBD, which are then combined to derive the Total Potential THC and Total Potential CBD result using the following formulae:  
Total Potential THC = THCa \* 0.877 +  $\Delta^9$ -THC +  $\Delta^8$ -THC  
Total Potential CBD = CBDa \* 0.877 + CBD  
LOQ = Limit of Quantitation; LOD = Limit of Detection. Cannabinoids for flower and trim reported as received.

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com



Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.



# Certificate of Analysis

Powered by Confident Cannabis  
4 of 4

## Farm to Farma Inc.

1005 Terminal Way, Suite 140  
Reno, NV 89502  
drkent@trokie.com  
(626) 646-3227  
Lic. #

## Sample: 2211TSF0283.20718

Strain: Broad spectrum Hemp Distillate  
Batch #: 20221119BS20UD;  
Sample Received: 11/29/2022; Report Generated: 12/06/2022

## UD Trokie 20mg CBD Broad Spectrum

Ingestible, Orally-Dissolving Product, CO2  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



## Microbials

## Pass


| Analyte                  | Mass  | LOQ   | Limit  | Status |
|--------------------------|-------|-------|--------|--------|
|                          | CFU/g | CFU/g | CFU/g  |        |
| Total Aerobic            | <LOQ  | 40    | 100000 | Pass   |
| Aspergillus flavus       | NR    | 1     | 1      | NT     |
| Aspergillus fumigatus    | NR    | 1     | 1      | NT     |
| Aspergillus niger        | NR    | 1     | 1      | NT     |
| Aspergillus terreus      | NR    | 1     | 1      | NT     |
| Total Enterobacteriaceae | <LOQ  | 40    | 1000   | Pass   |
| Total Coliforms          | <LOQ  | 40    | 1000   | Pass   |
| Pathogenic E. Coli       | <LOQ  |       | 1      | Pass   |
| Salmonella               | <LOQ  |       | 1      | Pass   |
| Total Yeast & Mold       | <LOQ  | 40    | 10000  | Pass   |



The photo on this report is of a sample collected by the lab and may vary from the final packaging

Test performed via Hardy chromogenic dry and agar plates. ND = Non Detect; LOQ = Limit of Quantitation; Tested Microbial Endpoints: Total Viable Aerobic Bacteria, Total Yeast and Mold, Total Coliforms, Enterobacteriaceae, Aspergillus (flavus, fumigatus, niger and terreus), E.coli pathogenic strains, and Salmonella spp. Microbial testing performed per SOP-000004 Method. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.

10 Greg St  
Sparks, NV  
(844) 374-5227  
www.374labs.com



Dr. Jeff Angermann  
Scientific Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (MME# 03754325902079441647) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.